



Project No: 10021186
Report No: 10021186-2
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Customer Company & Address
Acrilux SRL S.P. 571 Km 10+983 62019 Recanati (MC)

Manufacturer:	Acrilux SRL
Country of Origin:	Italy
Country of Export:	N/A
Product Category:	URBAN ARREDO MH 70W E27 E Ceramica
Product Description:	HID outdoor luminaire
Model Number(s):	URBAN ARREDO MH 70W E27 E Ceramica
Electrical Ratings:	230Vac 50Hz
Ballast:	TCI mod. P70 HI/HS TAB ref. 183044
Lamp:	OSRAM HCI-E E27 70W/WDL
Test Sample(s) Received Date:	2013-JUN-21
Test Period:	2013-JUL-03 to 2013-JUL-03
The Sample(s) is(are) tested in accordance with the following:	
UNI EN 13032-1: 2012	

Prepared By	Approved By
Fausto Pedroni <i>Fausto Pedroni</i>	Walter Parmiani <i>Walter Parmiani</i>
Name & Signatory	Name & Signatory

This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report apply to the test sample(s) mentioned above at the time of the testing period only and are not to be used to indicate applicability to other similar products. This report does not imply that the product(s) has met the criteria for certification.



UL International Italia S.r.l.
Via XXV Aprile 3/B
20875 Burago di Molgora (MB) Italy
NVLAP Lab Code: 200985-0



Project No: 10021186
Report No: 10021186-2
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Statement of Results

Test Flow	Test Method	Sample ID	Test Result
1.	Goniophotometer	014018-S001	Evaluated by Customer

Measurement Uncertainty

N/A

Deviation from Test Method (if any)

N/A

Remarks (if any)

N/A



Project No: 10021186
Report No: 10021186-2
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Test No. 1: Goniophotometer

Sample ID / Test Round Number

014018-S001 / 1

Environmental Conditions

Ambient Temperature
25.7 °C

Test Equipment

Local ID	Description	Model	Last cal	Next cal
BURVS0063	Goniophotometer system	LSI 6440T	03/jun/2013	By evidence
BURVS0066	AC PSU	ELGAR CW 1251	Reference only	Reference only
BURVS0065	Digital power meter	Yokogawa WT210	13/jul/2012	13/jul/2013
BURVS0067	THERMOMETER	OMEGA MDSi8	16/jul/2012	16/jul/2013
BURVS0061	OMNIDIRECTIONAL CALIBRATION LAMP	STS STD-EHD 12C050	25/jun/2012	25/jun/2015

Test Condition(s)

Input Voltage	Input Current	Input Power	Power Factor
230.29 V	0.37 A	83.7 W	0.976



Project No: 10021186
Report No: 10021186-2
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Test Results

Result Name	Result
Test Date	2013-JUL-03 05:00:00 PM
Current THD	21.8 %
Luminous Flux	3711.3 lm
Luminous Efficacy	44.3 lm/W
Luminous Opening Length	600.0 mm
Luminous Opening Width	0.0 mm
Luminous Opening Height	400.0 mm
LOR	55.88 %



Project No: 10021186
Report No: 10021186-2
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Photo of Sample(s)

Sample




Goniophotometer set-up





Verification Services Test Report

Polar diagram (cd/Klm)






Project No: 10021186
Report No: 10021186-2
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Max cone and plane (cd)






Test Report Number: 100211186-2
Test Item Number: 014018

Zonal Lumen Summary

	Summary Zonal Lumens	Zonal Lumens - % Lamp	Zonal Lumens - % Fixture
0 to 30	456.66	6.82	12.20
0 to 40	1010.77	15.09	27.00
0 to 60	2635.00	39.33	70.39
0 to 90	3707.96	55.34	99.05
40 to 90	2697.19	40.26	72.05
60 to 90	1072.96	16.01	28.66
90 to 180	35.72	0.53	0.95
0 to 180	3743.68	55.88	100.00

Zonal Flux Graph

Plot 0






Test Report Number: 100211186-2
 Test Item Number: 014018

Isolluminance Merged Chart

House Side

Illuminance Contour Graph



Street Side

Total Forward Light - Street Side

BACKWARD (lm)	(%)	BL (0 to 30 deg)	BL (%)	BM (30 to 60 deg)	BM (%)	BH (60 to 80 deg)	BH (%)	BVH (80 to 90 deg)	BVH (%)
1841.74	27.49	219.22	3.27	1074.47	16.04	526.77	7.86	21.28	0.32

Total Backward Light - House Side

FORWARD (lm)	(%)	FL (0 to 30 deg)	FL (%)	FM (30 to 60 deg)	FM (%)	FH (60 to 80 deg)	FH (%)	FVH (80 to 90 deg)	FVH (%)
1866.56	27.86	237.42	3.54	1103.88	16.48	504.15	7.52	21.11	0.32



Test Report Number: 100211186-2
 Test Item Number: 014018

Luminous Intensity Values - Street Side

0	0.00	5.00	15.00	25.00	35.00	45.00	55.00	65.00	75.00	85.00
0.00	233.2	233.2	233.2	233.2	233.2	233.2	233.3	232.9	234.3	229.1
5.00	345.9	349.5	355.1	357.7	360.1	361.0	362.9	360.8	360.0	350.0
10.00	482.9	485.7	493.0	491.6	492.0	486.1	476.6	478.8	473.9	461.2
15.00	493.8	494.8	491.4	489.9	493.2	493.5	485.3	481.6	487.5	471.6
20.00	494.2	495.4	494.7	489.3	494.0	495.6	491.2	491.7	495.3	486.8
25.00	523.0	525.0	527.7	531.1	530.6	530.3	531.6	533.9	547.6	541.7
30.00	662.2	659.7	654.4	652.0	649.8	650.5	662.4	671.6	688.4	689.2
35.00	836.9	833.9	829.3	829.9	825.9	821.4	835.1	849.0	858.4	850.5
40.00	948.6	958.8	960.8	954.7	959.9	961.2	970.4	981.8	991.1	962.3
41.00	958.9	973.7	970.4	977.8	987.2	988.6	992.6	986.1	978.6	1003.8
45.00	950.7	949.5	952.0	944.4	942.8	945.8	942.2	955.2	961.1	938.0
50.00	944.4	953.2	953.6	941.7	949.3	959.1	957.0	962.7	977.4	950.0
55.00	979.4	984.2	981.4	969.8	981.3	994.4	993.1	991.4	1001.6	978.8
60.00	949.4	946.3	941.8	950.3	955.6	964.1	964.1	961.4	979.5	951.3
65.00	860.5	862.7	866.1	867.9	878.1	885.9	888.6	888.9	894.6	875.3
70.00	517.1	544.4	558.3	550.5	548.4	526.2	521.5	534.0	541.2	515.0
75.00	166.1	175.0	178.0	173.3	174.9	171.1	171.5	171.1	173.8	168.1
80.00	77.0	76.3	75.8	75.9	76.0	73.8	73.1	75.7	74.1	72.3
85.00	33.4	33.6	32.8	33.4	33.1	33.9	33.7	31.7	35.1	32.9
90.00	22.5	22.9	24.2	22.3	23.0	23.0	23.0	24.5	21.8	23.5



Luminous Intensity Values - House Side

0	90.00	95.00	105.00	115.00	125.00	135.00	145.00	155.00	165.00	175.00	180.00
0.00	233.2	233.2	233.2	233.2	233.2	233.2	233.2	233.1	233.8	231.2	233.2
5.00	355.0	349.3	348.2	349.9	341.0	341.2	341.7	337.7	336.9	330.6	333.1
10.00	471.8	471.0	463.6	458.2	454.7	448.8	447.9	441.9	442.4	432.7	432.9
15.00	479.4	480.8	482.3	476.6	472.9	475.1	474.9	470.0	469.6	471.3	477.7
20.00	496.4	501.4	500.6	497.9	505.7	507.4	513.7	522.6	527.7	527.5	534.2
25.00	552.1	563.1	572.6	578.8	598.3	608.7	620.1	635.5	645.6	652.4	663.4
30.00	704.4	714.6	729.1	746.4	762.8	765.3	776.9	797.5	809.3	808.3	819.5
35.00	870.6	870.2	876.5	892.1	896.2	896.1	894.5	897.9	918.7	914.1	921.1
40.00	977.7	978.7	984.0	987.3	979.9	977.7	976.6	968.5	989.0	990.8	996.9
41.00	988.6	995.2	998.8	976.1	985.9	1007.1	0.0	0.0	0.0	0.0	0.0
45.00	958.4	963.7	971.2	970.5	958.3	952.7	946.0	940.5	965.6	967.4	975.2
50.00	965.7	967.8	971.7	964.2	953.0	952.9	947.0	938.2	948.3	953.9	966.6
55.00	995.1	999.1	992.4	985.3	987.9	966.7	953.2	958.3	967.4	968.5	981.0
60.00	965.5	971.2	962.1	950.1	942.1	920.3	913.1	911.9	919.1	931.3	947.8
65.00	890.3	889.1	871.0	856.5	843.9	819.9	811.9	811.1	820.9	826.2	838.1
70.00	521.4	523.4	518.6	513.1	495.8	482.4	475.3	460.6	456.8	456.5	464.9
75.00	169.0	167.6	167.7	167.4	162.9	164.1	166.3	165.5	164.9	163.2	165.5
80.00	74.8	75.5	74.7	73.6	73.5	72.7	70.4	69.3	72.6	73.9	74.9
85.00	32.1	31.9	33.8	33.0	30.2	30.8	32.1	32.2	30.9	31.5	32.3
90.00	25.3	25.4	23.1	22.5	23.7	20.8	18.8	20.7	23.6	23.4	23.4



Test Report Number: 100211186-2
Test Item Number: 014018

Cartesian Intensity





Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
0.0	233	233	233	233	233	233	233	233	233	233	233	233	233	233	233
1.0	237	237	236	241	239	239	239	240	239	236	241	238	236	241	238
2.0	254	257	256	264	262	266	260	264	264	258	262	259	256	262	258
3.0	281	284	285	290	292	296	288	294	292	287	289	288	282	286	285
4.0	316	317	318	322	325	328	324	326	324	321	317	320	314	312	314
5.0	346	353	357	359	361	361	363	359	358	355	346	352	345	339	343
6.0	385	391	394	397	396	399	400	390	392	387	376	382	376	369	369
7.0	415	428	428	431	430	435	432	421	423	415	408	407	402	398	392
8.0	439	458	456	455	457	458	454	446	445	438	436	429	425	423	414
9.0	463	477	479	473	479	472	468	465	459	457	456	445	444	440	433
10.0	483	489	495	489	493	478	478	477	468	472	469	459	458	450	449
11.0	491	495	505	501	500	485	488	483	474	480	475	469	467	460	458
12.0	496	497	506	505	497	491	491	484	480	482	481	475	470	468	463
13.0	491	498	500	502	494	495	489	485	483	479	484	476	470	474	466
14.0	496	498	492	496	493	495	483	486	483	476	485	477	470	475	470
15.0	494	495	489	493	493	492	480	486	482	479	482	481	473	474	475
16.0	491	490	488	492	491	487	482	484	482	484	479	486	479	475	481
17.0	492	487	490	492	489	486	486	481	485	488	480	489	486	482	486
18.0	486	488	490	491	487	488	489	480	489	490	486	491	491	489	489
19.0	485	492	490	489	491	491	491	485	492	492	496	492	496	498	495
20.0	494	496	492	489	498	492	492	492	494	496	504	496	502	507	509
21.0	497	500	498	494	504	493	496	500	496	505	510	506	512	518	525
22.0	500	503	506	502	508	496	503	507	503	515	518	519	526	534	544
23.0	509	506	514	513	511	503	512	514	516	524	530	534	544	555	563
24.0	516	513	521	524	517	516	522	524	531	535	548	551	566	581	585
25.0	523	527	529	532	529	532	531	540	549	552	571	573	589	605	612
26.0	543	545	541	545	546	550	545	560	570	578	594	601	614	628	646
27.0	570	571	564	563	568	569	568	588	594	609	619	637	643	656	683
28.0	594	597	591	589	590	591	597	613	623	641	647	671	677	688	715
29.0	624	624	622	620	616	619	632	643	658	673	681	703	716	725	742
30.0	662	657	652	651	649	655	669	677	694	704	724	735	757	764	769
31.0	695	695	684	681	688	693	702	716	730	740	766	767	792	796	797
32.0	725	736	721	714	728	730	737	756	763	782	804	801	821	821	827
33.0	760	773	761	753	765	762	772	794	794	820	830	833	844	842	856
34.0	802	806	798	793	793	792	810	824	826	852	852	860	864	863	877
35.0	837	831	829	830	822	826	844	853	858	871	871	885	896	895	897
36.0	859	858	851	859	851	862	868	883	895	903	907	903	917	919	909
37.0	889	890	872	879	882	901	901	920	925	925	931	922	934	937	926
38.0	917	922	903	909	918	930	926	953	950	946	949	946	948	950	948
39.0	938	949	931	935	944	951	953	977	968	964	965	970	965	963	968
40.0	949	965	954	959	960	965	977	987	983	978	980	987	984	977	979
41.0	959	974	966	970	968	978	989	987	992	989	995	993	999	986	976
42.0	972	975	968	967	972	980	984	980	993	992	1001	988	1001	986	967
43.0	975	972	963	954	968	972	970	973	981	986	997	982	991	977	960
44.0	965	963	958	943	961	956	956	967	966	972	983	977	975	963	956
45.0	951	949	952	939	948	942	948	961	952	958	968	972	966	952	953
46.0	945	936	943	939	937	937	946	956	949	952	964	964	963	950	946
47.0	947	932	936	942	935	941	948	951	955	956	966	956	961	953	940
48.0	945	938	931	938	940	950	947	953	963	962	969	954	958	955	938
49.0	942	949	936	940	948	954	949	962	969	965	970	960	955	955	944
50.0	944	959	945	944	955	959	957	972	970	966	970	970	957	952	952
51.0	958	963	955	954	958	965	971	978	972	968	973	978	961	953	957
52.0	969	965	961	962	962	973	985	980	978	976	980	981	971	959	956
53.0	972	969	962	969	969	984	993	982	988	986	990	978	983	965	952



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
0.0	233	233	233	233	233	233	233	233	233	233	233	233	233	233	233
1.0	236	237	237	239	240	235	235	234	235	237	235	235	231	231	236
2.0	258	256	255	260	258	256	253	250	253	253	252	251	244	244	246
3.0	285	280	279	284	280	282	276	274	278	275	277	275	269	268	265
4.0	312	307	307	308	307	309	302	303	304	302	304	302	300	297	291
5.0	339	337	335	333	335	335	331	332	329	331	330	330	332	326	321
6.0	367	368	363	359	362	360	361	360	357	359	355	360	362	355	352
7.0	396	397	389	387	386	384	387	384	386	386	381	388	389	385	382
8.0	420	418	414	411	406	407	410	406	411	408	407	412	411	412	408
9.0	436	432	431	425	420	423	423	422	427	424	428	428	429	432	426
10.0	446	440	441	433	433	434	432	436	438	438	443	439	444	445	443
11.0	449	446	448	442	446	441	441	447	444	450	452	447	453	450	456
12.0	452	453	451	452	455	447	450	454	450	458	457	456	458	453	463
13.0	459	460	457	463	463	457	460	459	461	463	463	466	461	460	465
14.0	467	464	463	471	467	469	466	463	468	465	469	472	465	468	466
15.0	473	468	471	478	474	477	471	470	474	469	476	476	473	475	470
16.0	478	474	480	482	483	486	480	481	480	479	481	480	484	481	477
17.0	484	484	487	487	494	493	493	494	488	490	487	486	492	486	484
18.0	493	498	496	499	507	505	511	507	501	501	493	496	499	493	491
19.0	505	512	509	514	520	518	525	521	519	512	503	508	505	503	496
20.0	519	525	529	534	533	538	542	537	539	528	521	522	517	517	504
21.0	531	540	551	553	555	564	560	561	557	547	542	536	532	529	515
22.0	547	559	574	573	584	590	587	588	579	576	568	552	553	543	532
23.0	568	583	596	597	614	612	615	615	602	604	594	575	573	560	553
24.0	595	611	618	629	642	638	646	640	634	633	618	607	596	583	573
25.0	629	641	649	663	673	674	676	667	667	659	648	643	623	612	594
26.0	661	670	685	698	705	713	705	701	702	686	681	676	657	644	619
27.0	692	701	724	730	738	753	738	739	733	723	719	706	695	676	652
28.0	720	733	756	757	773	785	776	781	766	762	755	736	735	708	689
29.0	751	768	785	787	808	810	814	815	799	797	782	767	767	740	728
30.0	787	805	810	819	838	834	845	843	836	826	807	802	795	778	763
31.0	818	834	834	851	857	857	865	859	862	849	834	834	822	816	794
32.0	840	854	858	870	873	883	884	885	885	866	862	857	848	848	823
33.0	855	865	885	893	898	905	901	908	899	896	894	870	870	866	854
34.0	869	887	908	905	919	923	920	928	915	917	914	894	899	887	881
35.0	893	908	922	921	939	936	941	944	933	935	928	915	916	903	908
36.0	915	925	932	942	954	950	960	955	956	949	942	937	929	925	925
37.0	935	939	945	963	964	970	974	968	977	962	960	956	947	949	939
38.0	951	949	963	979	977	993	985	988	997	985	984	973	970	969	957
39.0	963	960	984	987	999	1012	1000	1013	1011	1011	1004	986	993	984	979
40.0	972	973	999	997	1022	1022	1019	1035	1026	1032	1018	1000	1012	996	1000
41.0	979	986	1004	1007	1037	1028	1035	1048	1041	1042	1022	1013	1023	1008	1013
42.0	977	990	1000	1012	1036	1031	1041	1045	1048	1040	1020	1023	1023	1017	1010
43.0	967	982	990	1007	1022	1028	1029	1034	1041	1031	1016	1019	1017	1015	1000
44.0	954	967	981	993	1007	1018	1009	1019	1022	1022	1009	1004	1009	1006	989
45.0	939	950	974	975	997	1002	992	1007	1001	1012	999	984	997	989	982
46.0	932	938	964	962	990	982	982	995	987	999	985	970	983	970	974
47.0	936	937	955	961	982	967	977	984	982	985	972	966	969	960	966
48.0	941	939	947	965	974	967	975	976	983	975	966	969	962	960	959
49.0	943	941	947	968	967	973	972	973	985	973	969	972	965	966	957
50.0	941	941	954	967	968	983	972	980	984	980	975	972	973	973	962
51.0	940	941	963	964	976	986	980	988	981	987	978	969	981	975	972
52.0	944	947	969	967	985	987	991	995	984	992	979	972	984	975	980
53.0	952	957	968	974	987	989	1000	997	991	994	976	979	980	979	984



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
0.0	233	233	233	233	233	233	233
1.0	234	231	235	234	234	237	236
2.0	246	245	247	250	250	254	254
3.0	268	266	265	273	272	279	280
4.0	294	292	290	298	299	309	312
5.0	321	318	319	324	330	340	347
6.0	347	347	348	349	362	369	379
7.0	376	379	378	377	392	397	410
8.0	404	411	406	406	418	422	439
9.0	426	435	432	431	437	446	465
10.0	448	449	456	452	451	464	484
11.0	462	458	470	465	463	477	492
12.0	467	464	473	472	471	482	493
13.0	471	470	471	475	473	483	491
14.0	476	475	470	477	471	483	490
15.0	480	477	470	478	470	484	490
16.0	482	479	475	477	472	485	489
17.0	482	482	479	475	476	482	486
18.0	482	489	483	476	481	480	484
19.0	485	496	485	480	483	481	485
20.0	493	502	489	487	484	485	490
21.0	505	507	496	493	486	493	498
22.0	519	514	505	500	493	500	504
23.0	534	526	515	508	503	510	508
24.0	551	547	523	522	515	519	514
25.0	574	570	534	540	528	530	526
26.0	604	595	550	564	544	547	544
27.0	637	623	575	590	569	572	568
28.0	671	652	607	617	601	602	593
29.0	703	683	640	644	637	634	621
30.0	737	723	675	679	674	667	654
31.0	774	762	707	720	709	697	692
32.0	805	797	741	759	740	730	735
33.0	838	820	774	793	773	770	774
34.0	865	839	804	817	809	809	806
35.0	892	861	830	840	841	843	833
36.0	911	891	850	865	862	867	860
37.0	931	916	865	900	882	894	893
38.0	955	937	891	927	910	916	919
39.0	977	952	915	946	937	940	940
40.0	993	966	938	958	961	964	951
41.0	1001	981	952	967	977	979	961
42.0	1001	989	954	974	977	978	968
43.0	993	986	947	974	970	968	971
44.0	983	973	939	964	959	958	967
45.0	974	952	933	949	950	946	955
46.0	962	936	929	936	943	943	942
47.0	958	928	926	930	936	945	936
48.0	958	932	921	935	932	948	939
49.0	958	940	919	945	932	953	946
50.0	960	948	925	952	939	954	951
51.0	969	951	936	952	950	956	954
52.0	980	954	947	949	961	963	956
53.0	987	960	954	950	965	971	961



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
54.0	973	978	965	969	982	991	994	986	995	993	997	980	990	974	951
55.0	979	987	974	972	991	994	992	995	998	995	1000	985	989	980	956
56.0	983	987	980	977	991	989	991	1001	993	991	996	991	984	974	958
57.0	975	976	978	981	982	982	990	1001	986	987	993	989	977	962	954
58.0	960	962	968	980	971	977	986	993	982	985	987	979	972	949	942
59.0	953	951	954	970	962	976	974	980	979	977	980	963	964	940	928
60.0	949	943	944	956	956	969	958	971	973	966	973	951	951	929	915
61.0	938	936	936	940	948	958	940	962	958	949	959	941	933	915	904
62.0	918	924	928	931	933	940	931	954	942	932	937	930	911	895	891
63.0	901	907	917	919	916	920	921	938	924	919	918	914	893	866	867
64.0	888	888	897	905	899	904	910	916	910	907	902	891	867	850	846
65.0	860	865	867	871	884	886	890	889	892	890	885	858	855	829	815
66.0	825	848	845	848	856	852	852	857	858	854	853	828	827	798	781
67.0	772	815	810	804	814	800	800	815	806	800	808	783	773	746	734
68.0	708	752	745	744	740	722	725	743	729	724	728	711	701	675	670
69.0	621	668	659	663	646	628	637	650	636	628	630	619	612	588	587
70.0	517	564	547	556	535	522	526	541	531	521	524	514	509	483	483
71.0	413	457	436	448	432	421	422	427	429	417	418	407	405	389	385
72.0	325	359	340	347	336	330	325	334	333	324	326	322	318	306	307
73.0	256	281	266	273	264	259	256	263	263	253	256	256	249	242	247
74.0	205	223	212	215	210	208	205	211	211	204	204	206	200	196	201
75.0	166	181	173	175	173	171	172	171	174	169	167	168	165	162	166
76.0	138	149	143	144	144	141	143	140	143	142	139	138	139	136	136
77.0	118	124	120	119	122	117	120	117	118	120	117	115	118	114	113
78.0	102	105	103	100	104	99	102	99	99	102	101	98	100	97	95
79.0	88	87	89	84	89	83	85	84	83	85	87	82	85	82	81
80.0	77	76	76	76	76	72	75	76	72	75	76	74	74	73	72
81.0	66	64	64	66	64	63	64	66	64	64	66	64	63	63	63
82.0	56	54	54	57	54	56	55	57	56	55	57	56	54	55	55
83.0	46	46	45	49	45	48	45	48	48	45	47	48	45	46	47
84.0	39	39	38	41	38	41	37	40	41	37	39	41	37	37	39
85.0	33	34	32	34	32	35	32	33	35	32	32	35	31	30	31
86.0	30	30	29	29	29	31	29	28	31	29	28	30	27	26	26
87.0	28	27	27	25	27	27	27	25	27	27	25	25	25	23	22
88.0	25	25	25	22	26	24	25	22	24	25	23	22	24	21	20
89.0	24	25	25	21	25	22	26	22	23	26	24	22	24	22	19
90.0	23	23	24	21	24	22	25	23	22	25	25	22	24	22	19
91.0	21	22	23	21	22	20	23	23	21	24	25	22	23	22	19
92.0	19	20	21	21	20	20	21	23	20	22	24	22	22	21	19
93.0	17	17	18	21	18	19	19	22	20	20	22	21	20	19	18
94.0	17	15	16	19	16	19	16	20	19	17	20	20	17	17	17
95.0	16	14	14	18	14	18	15	18	19	15	17	19	15	15	16
96.0	16	13	13	15	13	16	13	15	17	14	15	17	13	13	14
97.0	15	13	13	13	12	15	12	13	15	13	13	15	12	11	12
98.0	13	13	12	11	12	13	12	11	14	13	12	12	11	10	10
99.0	11	12	12	9	12	10	12	10	12	14	12	11	11	9	9
100.0	9	12	12	9	12	9	12	9	10	13	12	9	11	9	8
101.0	8	11	11	8	11	7	11	9	9	12	12	9	10	9	7
102.0	7	10	10	8	10	7	10	10	8	11	12	9	10	9	7
103.0	8	8	8	9	9	7	9	10	8	9	11	9	9	9	7
104.0	8	6	7	9	7	7	7	10	8	8	10	9	8	8	7
105.0	8	5	5	9	6	7	6	9	8	6	8	9	7	7	8
106.0	8	5	5	8	5	7	5	8	9	6	7	8	5	6	7
107.0	6	5	5	7	5	8	5	7	9	6	6	8	4	5	7



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
54.0	956	963	967	979	987	994	1002	995	999	994	978	985	977	985	982
55.0	956	962	970	981	985	999	997	995	1001	998	985	987	980	991	981
56.0	948	954	974	976	987	997	992	999	996	1002	992	985	985	989	985
57.0	938	942	971	968	987	986	986	996	986	997	990	978	984	980	986
58.0	930	933	959	962	982	974	979	988	979	984	980	969	975	967	979
59.0	923	924	942	958	969	966	972	972	973	967	965	963	962	957	967
60.0	912	914	925	948	949	961	959	955	963	952	951	959	951	951	951
61.0	897	895	911	930	930	951	942	942	948	941	941	950	944	945	938
62.0	870	868	897	905	915	934	924	933	927	930	929	932	937	933	929
63.0	853	854	878	878	902	910	909	922	909	915	912	912	925	915	919
64.0	834	837	857	858	882	885	893	904	893	894	888	892	904	896	902
65.0	810	815	825	838	854	857	867	868	867	860	861	865	871	866	870
66.0	778	778	783	802	811	823	826	827	834	827	831	840	845	844	844
67.0	724	720	727	743	751	764	761	767	774	776	785	790	798	799	801
68.0	652	646	653	662	674	680	671	686	689	694	707	708	727	723	735
69.0	565	556	559	565	579	574	573	581	583	593	609	608	627	621	644
70.0	465	459	455	465	475	469	464	474	478	481	499	500	514	512	535
71.0	375	369	361	373	380	374	372	374	382	381	397	400	411	411	424
72.0	300	294	287	299	301	301	297	298	305	302	314	319	326	324	331
73.0	242	237	232	240	242	244	241	242	246	245	252	255	261	259	261
74.0	199	196	194	198	200	202	199	203	204	204	206	209	214	210	212
75.0	166	166	164	165	168	169	169	172	172	172	171	173	178	174	176
76.0	138	140	137	140	141	141	143	145	146	144	142	144	147	146	147
77.0	114	118	116	118	117	118	120	122	124	122	119	120	122	123	122
78.0	95	99	98	100	98	100	101	103	105	104	103	102	103	105	104
79.0	81	83	84	83	83	83	84	85	88	89	89	85	87	90	89
80.0	69	71	74	75	75	73	72	74	75	76	78	75	75	76	77
81.0	60	61	64	66	66	63	61	63	64	65	68	64	65	65	65
82.0	53	53	55	58	58	56	54	55	56	55	59	57	56	55	56
83.0	47	45	46	49	50	50	47	47	48	47	50	49	49	47	46
84.0	39	37	37	40	40	42	40	40	40	40	41	42	42	40	38
85.0	33	31	31	32	33	36	35	35	34	34	34	36	36	34	32
86.0	28	28	27	27	28	31	31	31	30	30	28	31	31	30	29
87.0	24	26	25	24	24	26	28	28	28	27	24	27	28	27	26
88.0	21	24	23	22	22	23	25	25	25	25	22	24	24	25	24
89.0	20	23	24	23	22	22	23	23	24	24	21	22	22	24	24
90.0	19	23	24	23	23	21	22	23	24	24	22	21	21	23	23
91.0	18	21	23	23	22	20	20	21	22	22	23	20	20	21	21
92.0	17	19	22	22	22	20	19	19	20	20	22	19	18	19	19
93.0	17	17	20	20	20	19	18	18	18	18	21	18	17	16	17
94.0	16	15	17	18	19	19	17	17	16	16	19	16	17	15	15
95.0	16	14	15	16	17	18	17	16	15	15	17	16	16	14	13
96.0	15	13	13	14	15	17	16	16	15	14	14	15	16	13	12
97.0	14	13	12	12	13	16	16	15	14	14	12	15	15	13	12
98.0	12	13	11	11	12	14	15	15	14	13	11	14	13	13	12
99.0	10	13	11	10	10	12	13	14	14	13	10	13	12	12	12
100.0	9	12	12	10	10	10	12	12	12	12	9	11	10	12	11
101.0	8	11	12	11	10	9	10	11	11	10	9	10	8	11	11
102.0	7	10	11	11	10	8	8	9	9	9	10	8	7	9	10
103.0	6	8	10	11	11	8	7	7	8	8	10	7	7	8	9
104.0	6	6	9	10	11	9	7	6	6	6	9	6	6	6	7
105.0	6	5	7	9	10	9	7	6	6	5	9	6	7	5	6
106.0	7	5	6	8	9	9	7	6	5	5	8	6	7	5	5
107.0	7	5	5	7	8	9	8	7	6	6	6	7	8	5	4



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
54.0	987	968	956	957	962	977	970
55.0	982	972	956	964	959	976	981
56.0	979	969	960	966	959	970	985
57.0	978	960	963	961	960	965	979
58.0	978	952	960	951	958	960	967
59.0	973	948	950	943	949	956	955
60.0	961	945	934	938	936	948	947
61.0	944	934	920	931	923	934	937
62.0	928	919	909	918	912	917	925
63.0	916	901	902	899	902	901	905
64.0	900	884	888	871	889	884	885
65.0	873	867	863	856	867	861	862
66.0	842	846	836	834	840	843	844
67.0	794	803	796	798	798	808	807
68.0	726	735	734	737	743	751	742
69.0	640	644	652	650	661	667	654
70.0	536	540	548	549	563	565	547
71.0	430	437	438	444	454	456	445
72.0	338	342	341	349	355	362	347
73.0	265	268	265	272	277	282	272
74.0	213	214	212	214	220	225	215
75.0	176	175	173	172	180	182	174
76.0	145	145	143	140	148	150	143
77.0	120	121	119	116	121	124	121
78.0	100	101	101	98	100	104	104
79.0	84	84	85	83	84	87	89
80.0	73	73	76	75	74	76	77
81.0	64	63	66	65	64	65	66
82.0	55	55	56	57	55	55	56
83.0	47	47	46	48	46	46	46
84.0	40	40	37	41	40	39	38
85.0	34	34	31	34	34	33	32
86.0	30	30	26	28	30	30	28
87.0	27	26	24	24	27	27	25
88.0	24	24	22	20	24	25	24
89.0	23	22	23	20	22	24	24
90.0	21	20	23	20	21	23	24
91.0	20	19	22	19	19	21	23
92.0	17	17	20	19	17	19	21
93.0	16	16	18	18	16	16	19
94.0	15	15	16	17	15	15	16
95.0	14	15	14	16	15	14	14
96.0	14	15	12	14	14	13	12
97.0	13	14	10	12	14	13	11
98.0	13	13	10	10	13	13	11
99.0	12	12	10	9	12	12	11
100.0	11	10	10	8	10	12	11
101.0	9	8	10	7	9	10	11
102.0	8	6	10	7	7	9	10
103.0	6	5	9	7	6	7	9
104.0	5	5	8	8	5	6	8
105.0	5	5	7	8	5	5	7
106.0	5	5	6	8	6	5	5
107.0	5	6	5	7	7	5	4



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
108.0	5	5	5	6	5	8	5	6	8	6	5	7	4	4	6
109.0	4	6	6	5	6	7	6	5	7	7	5	5	4	3	5
110.0	4	7	6	4	7	6	7	4	6	8	6	4	5	3	4
111.0	4	7	7	4	7	5	7	4	5	8	6	4	5	4	3
112.0	6	7	7	4	7	5	7	5	4	8	7	4	6	5	3
113.0	6	7	7	4	6	4	7	5	4	7	7	4	6	5	3
114.0	6	6	6	5	5	3	5	6	4	6	7	5	6	6	4
115.0	6	5	5	6	4	3	4	6	4	5	7	5	5	5	5
116.0	4	4	3	6	3	4	3	7	5	4	6	6	4	5	5
117.0	3	3	3	6	3	4	2	6	5	4	4	6	3	4	5
118.0	2	2	2	5	3	5	2	6	6	3	3	5	2	3	5
119.0	3	3	3	4	3	6	3	5	6	4	3	4	1	2	4
120.0	4	3	3	3	4	5	4	4	5	4	2	3	1	1	3
121.0	5	4	4	2	5	5	4	3	4	5	2	2	2	1	2
122.0	5	5	5	2	5	4	5	3	3	6	3	2	3	1	1
123.0	5	5	5	2	5	3	5	3	2	6	4	1	3	2	1
124.0	4	5	5	2	5	2	5	2	2	6	5	2	4	3	1
125.0	2	4	4	3	4	1	4	2	2	5	5	2	4	4	1
126.0	1	3	3	4	3	1	3	2	2	4	5	3	4	4	2
127.0	1	2	2	4	2	1	2	3	3	3	4	4	3	3	3
128.0	2	1	1	5	1	2	1	4	3	2	3	4	2	2	4
129.0	3	1	1	4	1	3	1	5	4	1	2	4	1	1	4
130.0	4	1	1	3	1	3	1	5	4	1	1	3	1	0	3
131.0	4	2	2	2	2	4	2	5	4	2	1	3	3	2	2
132.0	3	2	3	1	3	4	3	4	3	3	1	3	3	3	1
133.0	2	3	3	1	3	3	4	2	2	3	1	2	3	3	0
134.0	1	4	4	0	4	2	4	1	1	4	2	1	2	2	2
135.0	2	4	4	1	3	2	4	0	1	4	3	1	1	1	3
136.0	3	3	3	2	3	1	3	2	2	3	3	3	1	0	3
137.0	3	3	2	3	2	1	2	3	3	2	3	3	2	1	2
138.0	2	2	1	3	1	3	1	3	3	1	3	2	3	2	1
139.0	1	1	1	3	1	3	2	2	2	1	2	2	3	3	0
140.0	2	1	2	3	3	3	3	1	1	2	1	0	2	2	1
141.0	3	0	3	3	3	2	3	1	1	3	1	0	1	2	1
142.0	3	1	3	2	3	1	3	2	2	2	1	1	0	1	0
143.0	2	2	3	1	2	1	2	3	3	2	0	0	1	0	1
144.0	1	3	2	1	1	2	0	3	3	1	1	1	0	1	2
145.0	1	3	1	2	1	3	1	2	3	0	2	2	0	0	2
146.0	2	3	1	3	2	2	1	1	2	1	2	2	1	0	1
147.0	2	3	2	3	3	2	0	0	2	0	1	2	0	0	0
148.0	1	2	3	2	2	1	0	1	1	0	1	1	0	0	1
149.0	0	1	3	1	1	0	0	0	0	0	0	1	2	0	0
150.0	1	0	2	0	0	1	0	0	0	0	1	0	2	1	0
151.0	0	1	1	1	0	0	1	0	1	0	0	1	1	1	0
152.0	0	0	0	0	1	0	2	0	0	1	0	0	0	0	0
153.0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	0
154.0	0	0	1	0	0	0	1	2	0	1	0	1	0	1	0
155.0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
156.0	1	0	0	0	0	0	1	1	0	1	0	0	0	0	0
157.0	1	2	0	1	1	0	0	0	0	0	0	0	0	1	2
158.0	0	2	0	1	2	1	0	1	0	0	1	0	0	0	1
159.0	0	1	1	1	1	2	0	0	0	0	2	1	0	0	1
160.0	0	0	2	0	1	1	0	0	0	0	1	2	0	0	0
161.0	0	1	1	1	0	0	0	0	0	0	0	2	0	0	1



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
108.0	7	6	5	5	7	9	8	8	6	6	5	7	8	6	4
109.0	7	6	5	5	6	8	9	8	7	7	4	8	7	6	5
110.0	6	7	6	4	5	7	8	8	8	7	4	7	6	7	6
111.0	4	7	6	5	5	5	7	8	8	7	4	7	5	7	6
112.0	3	6	7	5	5	5	6	7	7	7	5	6	4	7	7
113.0	3	6	7	6	6	4	5	5	6	6	6	4	4	6	6
114.0	3	4	6	7	7	4	4	4	5	5	6	4	3	5	6
115.0	3	3	5	7	7	5	4	4	4	4	7	3	3	4	4
116.0	3	2	4	6	7	6	4	4	3	3	6	3	4	3	3
117.0	4	2	3	5	6	6	5	4	3	2	5	4	5	2	2
118.0	5	2	2	4	5	6	5	5	3	3	4	5	5	3	2
119.0	5	3	2	3	4	6	6	5	4	3	3	5	6	3	2
120.0	5	4	3	2	3	5	6	6	5	4	2	6	6	4	3
121.0	4	4	3	2	2	4	6	6	5	5	2	6	5	5	4
122.0	3	5	4	2	2	3	5	6	5	5	2	5	4	5	5
123.0	2	4	5	3	3	2	4	5	5	5	3	4	3	5	5
124.0	1	4	5	4	3	2	3	4	4	4	4	3	2	4	5
125.0	1	3	4	4	4	2	2	3	3	3	5	2	2	4	4
126.0	1	2	4	5	5	2	2	2	2	2	5	2	2	2	3
127.0	2	1	3	5	5	3	2	2	1	2	5	2	2	1	2
128.0	3	1	2	4	5	4	3	2	1	1	4	2	3	1	1
129.0	3	1	1	3	4	4	3	3	1	1	3	3	4	1	1
130.0	4	1	1	2	3	5	4	3	2	2	2	4	4	1	1
131.0	3	2	1	1	2	4	4	4	3	3	1	4	4	2	2
132.0	3	3	1	0	1	3	4	4	4	4	1	4	4	3	2
133.0	2	3	2	1	0	2	4	4	4	4	1	4	3	4	3
134.0	1	3	3	1	3	1	3	3	4	4	2	3	2	4	4
135.0	1	3	3	2	3	1	2	2	3	4	2	2	1	3	3
136.0	2	2	3	3	2	3	1	1	2	3	3	1	0	2	3
137.0	3	1	2	3	1	3	1	0	1	2	4	1	3	1	2
138.0	3	0	1	3	1	3	3	2	0	1	4	3	3	0	1
139.0	3	2	0	2	2	2	3	3	2	0	3	3	3	2	1
140.0	3	3	1	1	3	1	3	3	4	3	2	3	2	3	2
141.0	2	2	1	0	3	1	1	2	3	3	1	2	1	3	3
142.0	2	2	0	1	2	2	0	1	3	3	0	1	1	2	3
143.0	2	1	1	0	1	2	1	1	2	2	2	1	3	1	2
144.0	1	0	2	0	0	2	2	2	1	0	3	2	3	0	1
145.0	0	0	2	0	0	2	2	3	1	1	3	3	2	1	0
146.0	1	0	1	0	1	1	2	3	3	3	2	3	2	2	1
147.0	0	0	0	0	0	0	1	3	3	3	1	2	1	3	1
148.0	0	0	0	1	0	0	0	2	2	2	0	1	0	2	0
149.0	0	0	1	1	0	1	0	1	1	2	1	0	1	2	1
150.0	0	0	0	1	0	0	1	0	0	0	3	1	0	1	2
151.0	0	0	0	0	1	0	0	0	1	1	3	0	1	0	2
152.0	0	0	1	0	2	1	0	1	1	2	2	0	2	1	1
153.0	0	0	0	0	1	0	0	0	0	3	1	2	2	0	0
154.0	1	1	0	0	0	0	0	0	0	2	1	2	2	0	1
155.0	1	1	0	0	0	0	0	0	0	2	0	2	1	1	0
156.0	1	0	0	0	1	0	0	0	0	1	1	1	0	0	0
157.0	1	0	0	0	0	0	1	0	1	0	1	0	1	1	1
158.0	1	1	0	0	0	0	1	0	2	1	0	1	0	2	0
159.0	0	0	0	0	0	1	1	0	1	0	1	0	0	2	0
160.0	0	0	1	1	0	1	0	1	0	0	2	0	1	1	1
161.0	1	0	2	1	0	1	0	1	0	0	2	0	0	0	2



Test Report Number: 100211186-2
 Test Item Number: 014018

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
108.0	6	7	5	6	7	6	4
109.0	7	7	4	5	7	6	4
110.0	7	7	4	4	7	7	5
111.0	7	6	3	3	6	7	6
112.0	6	5	3	3	5	6	6
113.0	5	4	3	3	4	6	7
114.0	4	3	4	4	3	4	6
115.0	3	2	5	4	3	3	6
116.0	2	2	5	5	3	3	5
117.0	2	3	5	5	3	3	4
118.0	2	4	5	5	4	3	3
119.0	3	4	4	5	5	4	2
120.0	4	5	3	4	5	4	2
121.0	4	5	2	3	5	5	3
122.0	5	4	1	2	5	5	3
123.0	4	3	1	1	4	5	4
124.0	3	2	2	1	3	4	5
125.0	2	1	2	2	2	3	5
126.0	1	1	3	3	1	2	4
127.0	1	1	4	3	1	1	3
128.0	0	0	4	4	2	1	2
129.0	1	2	4	4	2	1	1
130.0	2	4	3	4	3	1	1
131.0	3	3	2	3	4	2	1
132.0	3	2	1	2	4	3	1
133.0	4	1	1	1	3	4	2
134.0	3	0	2	1	3	4	3
135.0	3	1	3	2	2	3	4
136.0	2	3	3	3	1	3	4
137.0	1	3	2	3	2	2	3
138.0	1	3	1	2	3	1	2
139.0	2	2	0	1	3	1	2
140.0	3	1	1	0	2	2	1
141.0	3	0	2	2	2	3	2
142.0	2	1	3	3	1	3	3
143.0	1	2	2	3	1	2	4
144.0	0	3	2	2	2	1	3
145.0	1	2	1	1	3	1	2
146.0	1	2	0	0	3	2	1
147.0	0	0	1	1	2	3	0
148.0	1	0	0	1	1	3	1
149.0	2	1	0	0	0	2	0
150.0	2	0	0	0	1	1	0
151.0	1	0	0	0	1	0	1
152.0	0	1	0	0	0	1	0
153.0	1	0	1	1	0	1	1
154.0	0	0	2	2	0	0	2
155.0	0	0	1	1	0	0	1
156.0	0	0	0	0	1	0	0
157.0	0	1	1	0	2	0	0
158.0	0	2	0	1	1	0	1
159.0	1	1	0	0	0	0	0
160.0	2	0	1	0	1	0	0
161.0	1	0	0	0	0	1	1



Test Report Number: 100211186-2
Test Item Number: 014018

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
162.0	0	0	0	0	1	0	0	0	0	0	0	2	0	1	0
163.0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0
164.0	0	0	1	0	0	0	1	0	1	1	0	1	1	1	0
165.0	1	0	0	0	0	0	2	0	1	2	0	0	1	0	0
166.0	1	0	0	0	0	0	1	1	1	1	0	0	1	0	0
167.0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
168.0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
169.0	0	1	0	1	0	0	0	0	1	0	0	0	1	0	1
170.0	0	2	0	2	0	0	0	0	0	0	1	0	0	0	1
171.0	0	1	0	1	0	1	0	0	0	0	1	0	0	0	1
172.0	0	0	1	1	0	1	0	0	0	0	1	0	0	0	0
173.0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
174.0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0
175.0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0
176.0	1	0	1	0	0	0	1	0	0	1	0	0	0	1	0
177.0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0
178.0	0	0	0	0	0	0	1	0	0	2	0	1	1	0	0
179.0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0
180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Test Report Number: 100211186-2
Test Item Number: 014018

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
162.0	0	0	1	1	0	0	0	1	1	0	1	0	0	1	1
163.0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
164.0	0	0	1	0	1	0	0	1	0	0	0	0	2	0	0
165.0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0
166.0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
167.0	0	2	0	0	0	0	0	0	0	1	0	1	0	0	0
168.0	0	1	0	0	1	0	0	0	0	1	0	2	0	0	0
169.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
170.0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
171.0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0
172.0	1	0	1	0	0	1	0	0	1	0	0	0	0	1	0
173.0	2	0	2	1	0	2	1	0	0	0	0	0	0	0	0
174.0	1	0	1	1	0	2	1	0	0	0	0	0	0	0	0
175.0	1	0	0	1	0	1	0	1	0	0	1	0	0	0	1
176.0	1	0	0	0	1	0	0	1	0	0	1	0	0	0	1
177.0	1	0	0	1	1	0	0	1	0	0	1	0	0	0	1
178.0	0	1	0	0	1	0	0	0	0	0	1	0	1	0	0
179.0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	1
180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Test Report Number: 100211186-2
Test Item Number: 014018

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
162.0	0	0	0	0	0	2	0
163.0	0	0	0	0	0	1	0
164.0	1	0	0	0	0	0	0
165.0	0	0	0	0	0	0	0
166.0	0	0	1	1	0	1	1
167.0	1	0	1	2	0	0	2
168.0	0	0	0	1	1	0	1
169.0	0	0	0	0	2	0	0
170.0	0	0	0	0	1	0	1
171.0	0	0	0	0	0	0	0
172.0	0	0	0	0	0	0	0
173.0	0	0	0	0	1	0	0
174.0	0	0	0	0	0	0	0
175.0	1	1	0	0	0	0	0
176.0	1	2	0	0	0	0	0
177.0	0	2	0	0	0	0	0
178.0	0	1	1	0	0	0	0
179.0	1	0	1	1	0	0	0
180.0	0	0	0	0	0	0	0