



Project No: 10021186
Report No: 10021186-4
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Customer Company & Address
Acrilux SRL S.P. 571 Km 10+983 62019 Recanati (MC)

Manufacturer:	Acrilux SRL
Country of Origin:	Italy
Country of Export:	N/A
Product Category:	URBAN ARREDO SON 70W E27 T SAP
Product Description:	HID outdoor luminaire
Model Number(s):	URBAN ARREDO SON 70W E27 T SAP
Electrical Ratings:	230Vac 50Hz
Ballast:	TCI mod. P70 HI/HS TAB ref. 183044
Lamp:	OSRAM VIALOX E 27 70W NAV SON-T SUPER 4Y
Test Sample(s) Received Date:	2013-JUN-21
Test Period:	2013-JUL-03 to 2013-JUL-03
The Sample(s) is(are) tested in accordance with the following:	
UNI EN 13032-1: 2012	

Prepared By	Approved By
Fausto Pedroni <i>Fausto Pedroni</i>	Walter Parmiani <i>Walter Parmiani</i>
Name & Signatory	Name & Signatory

This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report apply to the test sample(s) mentioned above at the time of the testing period only and are not to be used to indicate applicability to other similar products. This report does not imply that the product(s) has met the criteria for certification.



UL International Italia S.r.l.
Via XXV Aprile 3/B
20875 Burago di Molgora (MB) Italy
NVLAP Lab Code: 200985-0



Project No: 10021186
Report No: 10021186-4
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Statement of Results

Test Flow	Test Method	Sample ID	Test Result
1.	Goniophotometer	014016-S001	Evaluated by Customer

Measurement Uncertainty

N/A

Deviation from Test Method (if any)

N/A

Remarks (if any)

N/A



Verification Services Test Report

Test No. 1: Goniophotometer

Sample ID / Test Round Number

014016-S001 / 1

Environmental Conditions

Ambient Temperature
25.3 °C

Test Equipment

Local ID	Description	Model	Last cal	Next cal
BURVS0063	Goniophotometer system	LSI 6440T	03/jun/2013	By evidence
BURVS0066	AC PSU	ELGAR CW 1251	Reference only	Reference only
BURVS0065	Digital power meter	Yokogawa WT210	13/jul/2012	13/jul/2013
BURVS0067	THERMOMETER	OMEGA MDSi8	16/jul/2012	16/jul/2013
BURVS0061	OMNIDIRECTIONAL CALIBRATION LAMP	STS STD-EHD 12C050	25/jun/2012	25/jun/2015

Test Condition(s)

Input Voltage	Input Current	Input Power	Power Factor
230.0 V	0.38 A	84.69 W	0.97



Project No: 10021186
Report No: 10021186-4
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Test Results

Result Name	Result
Test Date	2013-JUL-03 12:05:00 AM
Current THD	21.6 %
Luminous Flux	3303.9 lm
Luminous Efficacy	39.0 lm/W
Luminous Opening Length	600.0 mm
Luminous Opening Width	0.0 mm
Luminous Opening Height	400.0 mm
LOR	55.07 %



Project No: 10021186
Report No: 10021186-4
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Photo of Sample(s)

Sample




Goniophotometer set-up





Verification Services Test Report

Polar diagram (cd/Klm)






Project No: 10021186
Report No: 10021186-4
Issued Date: 2013-JUL-04
Revision:

Verification Services Test Report

Max cone and plane (cd)






Test Report Number: 100211186-4
 Test Item Number: 014016

Zonal Lumen Summary

	Summary Zonal Lumens	Zonal Lumens - % Lamp	Zonal Lumens - % Fixture
0 to 30	374.46	6.24	11.33
0 to 40	844.29	14.07	25.55
0 to 60	2417.04	40.28	73.16
0 to 90	3271.28	54.52	99.01
40 to 90	2426.99	40.45	73.46
60 to 90	854.23	14.24	25.86
90 to 180	32.63	0.54	0.99
0 to 180	3303.91	55.07	100.00

Zonal Flux Graph

Plot 0






Test Report Number: 100211186-4
 Test Item Number: 014016

Isolluminance Merged Chart

House Side

Illuminance Contour Graph



Street Side

Total Forward Light - Street Side

BACKWARD (lm)	(%)	BL (0 to 30 deg)	BL (%)	BM (30 to 60 deg)	BM (%)	BH (60 to 80 deg)	BH (%)	BVH (80 to 90 deg)	BVH (%)
1631.41	27.19	193.53	3.23	1038.43	17.31	382.12	6.37	17.34	0.29

Total Backward Light - House Side

FORWARD (lm)	(%)	FL (0 to 30 deg)	FL (%)	FM (30 to 60 deg)	FM (%)	FH (60 to 80 deg)	FH (%)	FVH (80 to 90 deg)	FVH (%)
1640.69	27.34	180.97	3.02	1004.35	16.74	436.18	7.27	19.18	0.32



Test Report Number: 100211186-4
 Test Item Number: 014016

Luminous Intensity Values - Street Side

0	0.00	5.00	15.00	25.00	35.00	40.00	45.00	55.00	65.00	75.00	85.00
0.00	173.6	173.6	173.6	173.6	173.6	173.6	173.6	173.7	173.4	174.4	170.6
5.00	266.4	264.8	269.8	270.2	265.2	268.3	271.6	268.5	266.9	273.0	269.2
10.00	352.8	359.9	372.0	374.4	370.8	369.5	368.4	366.0	366.7	372.4	367.9
15.00	388.3	391.3	400.2	405.6	400.6	399.0	400.7	400.1	394.1	406.9	399.1
20.00	431.9	434.2	432.5	431.6	431.7	427.3	422.6	422.5	422.5	427.5	416.4
25.00	550.1	551.4	547.0	531.3	526.6	524.7	514.6	495.5	480.3	469.4	456.9
30.00	675.7	705.6	717.3	669.0	682.3	699.7	692.1	636.7	619.4	607.3	566.6
35.00	791.0	810.0	818.0	788.0	807.4	825.4	820.9	764.9	756.7	758.7	683.3
40.00	903.8	935.3	952.6	928.3	954.9	967.3	957.0	912.2	901.5	910.4	835.2
45.00	976.8	992.7	1004.4	998.8	1010.4	1012.9	1004.7	968.3	969.0	980.6	911.1
47.00	1011.9	1014.4	1000.5	1006.2	988.9	1030.3	944.1	942.3	894.0	962.7	969.7
50.00	987.5	976.2	974.9	996.3	994.0	987.4	983.4	954.9	937.3	970.6	920.7
55.00	959.1	958.2	955.5	964.1	970.6	964.4	955.3	956.5	949.1	962.4	909.3
60.00	936.5	931.0	921.2	923.4	928.2	925.5	921.5	929.1	924.0	933.9	901.0
65.00	619.2	633.3	635.9	625.4	636.3	639.2	639.1	640.3	653.8	676.2	664.2
70.00	248.1	273.3	294.3	289.9	288.7	285.9	289.5	302.1	307.7	317.8	322.8
75.00	113.9	119.3	124.9	120.9	120.1	122.0	123.4	121.3	119.2	123.7	124.8
80.00	51.1	53.8	55.3	54.6	54.6	53.5	52.6	54.8	56.1	54.1	55.1
85.00	28.8	27.7	28.6	29.9	28.2	28.5	29.8	29.1	26.9	30.1	31.0
90.00	19.6	20.6	19.4	17.5	20.0	20.5	19.5	20.0	22.3	20.7	18.9



Luminous Intensity Values - House Side

0	90.00	95.00	105.00	115.00	125.00	135.00	145.00	155.00	165.00	175.00	180.00
0.00	173.6	173.6	173.6	173.6	173.6	173.6	173.6	173.5	174.0	172.1	173.6
5.00	275.4	277.8	278.7	287.0	299.4	307.0	319.2	322.4	318.0	304.8	304.3
10.00	376.1	383.3	394.8	401.8	419.6	441.6	445.8	435.9	416.0	402.5	408.1
15.00	402.4	407.0	416.3	420.4	431.2	439.2	438.9	426.7	402.6	396.8	404.1
20.00	420.6	424.6	434.5	437.3	439.4	438.7	436.3	426.2	409.5	402.3	406.4
25.00	465.3	459.1	450.8	444.1	435.2	437.0	434.9	416.9	406.4	400.7	404.4
30.00	577.3	570.3	554.8	568.0	553.2	527.9	529.3	505.5	504.7	497.8	497.4
35.00	682.7	701.3	711.4	724.5	717.9	695.4	693.1	671.5	687.3	675.0	670.6
40.00	828.4	833.7	831.8	857.4	847.3	821.0	845.4	850.8	845.2	829.1	837.5
45.00	913.6	922.4	931.4	941.1	914.8	906.3	943.8	951.7	945.0	946.0	963.6
47.00	944.1	917.7	945.0	957.1	954.8	962.7	0.0	0.0	0.0	0.0	0.0
50.00	917.9	918.5	923.6	921.5	914.6	916.5	957.3	968.5	943.9	955.1	973.2
55.00	900.8	905.4	916.9	923.9	921.0	910.7	939.1	960.0	948.6	953.1	968.2
60.00	903.3	895.4	894.9	908.8	903.8	896.2	921.4	936.2	947.6	950.5	957.8
65.00	674.8	674.5	677.1	697.9	707.0	715.3	745.8	752.8	769.6	762.9	762.1
70.00	331.3	339.9	348.4	356.8	366.0	381.8	397.7	404.2	422.9	416.7	415.9
75.00	127.8	128.2	129.0	133.6	136.4	137.5	143.5	147.1	149.0	148.5	149.8
80.00	57.4	58.8	60.8	60.7	60.8	62.5	61.1	63.4	67.3	66.7	67.8
85.00	31.3	30.5	29.8	29.8	29.4	29.7	31.8	32.6	31.9	32.5	33.3
90.00	19.2	20.0	21.5	22.3	22.5	21.1	19.8	21.4	22.8	23.4	24.0



Test Report Number: 100211186-4
Test Item Number: 014016

Cartesian Intensity





Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
0.0	174	174	174	174	174	174	174	174	174	174	174	174	174	174	174
1.0	174	180	179	181	179	178	181	177	176	180	177	177	173	173	175
2.0	198	195	196	200	196	196	198	193	197	198	195	197	191	194	197
3.0	210	213	219	221	215	219	218	214	223	219	220	222	220	226	231
4.0	239	236	246	242	239	246	240	241	248	246	250	251	257	265	271
5.0	266	265	273	265	268	272	265	271	272	275	279	280	295	302	313
6.0	290	298	299	295	300	297	294	300	297	304	306	313	331	338	351
7.0	326	332	326	327	330	321	324	326	323	331	332	348	362	376	387
8.0	343	351	347	352	349	339	346	344	347	348	355	374	386	407	416
9.0	355	360	361	365	358	355	357	357	363	362	375	390	397	422	435
10.0	353	367	375	373	370	367	366	369	372	376	390	398	408	432	446
11.0	370	376	382	379	380	379	375	379	378	389	395	402	419	434	450
12.0	374	384	384	388	389	386	385	384	384	396	396	406	424	431	448
13.0	381	388	387	396	393	389	393	386	394	398	400	412	423	431	445
14.0	386	390	395	401	395	394	395	389	404	399	406	418	421	435	441
15.0	388	395	405	404	399	402	396	397	410	402	412	419	423	438	438
16.0	405	404	412	404	408	413	400	408	412	409	415	419	429	439	440
17.0	411	415	415	408	419	419	408	416	413	416	415	419	437	437	443
18.0	415	426	415	415	426	420	417	419	416	420	416	426	441	435	443
19.0	427	430	419	424	428	420	423	420	422	420	421	433	439	437	439
20.0	432	435	430	433	427	420	424	422	428	421	429	438	436	442	436
21.0	446	452	450	446	434	427	426	428	430	426	436	437	437	444	438
22.0	474	476	472	461	452	443	432	434	429	433	438	434	439	442	442
23.0	502	498	489	477	476	465	449	444	430	441	436	434	441	435	445
24.0	522	524	511	499	502	483	473	456	444	451	438	438	439	431	442
25.0	550	551	539	526	525	503	490	472	465	465	454	448	439	434	439
26.0	573	577	573	556	544	523	505	498	491	483	476	465	449	449	441
27.0	587	607	611	588	575	556	524	534	516	504	501	480	471	468	456
28.0	605	644	642	612	617	599	550	570	537	531	521	497	503	489	479
29.0	641	687	665	636	664	636	585	599	555	558	538	523	541	507	505
30.0	676	726	692	664	700	666	618	622	584	577	563	555	573	531	533
31.0	700	756	724	697	725	692	646	649	616	591	600	591	600	564	558
32.0	723	770	754	728	740	714	669	681	650	606	640	626	628	602	583
33.0	755	782	777	752	760	740	688	714	680	627	677	654	661	639	616
34.0	779	799	792	767	790	768	712	744	703	653	701	681	701	672	656
35.0	791	823	802	788	825	797	747	770	724	683	714	710	734	697	699
36.0	810	843	815	819	848	821	782	788	758	710	732	739	760	719	732
37.0	838	853	838	849	867	836	808	805	798	731	757	763	779	747	755
38.0	859	885	862	888	902	852	829	831	838	754	787	786	799	774	778
39.0	887	917	909	916	932	898	853	856	855	789	817	811	834	799	803
40.0	904	958	936	936	967	934	900	909	887	828	836	836	869	821	836
41.0	930	989	950	946	993	958	933	939	905	854	849	856	911	834	869
42.0	956	1001	959	964	1002	968	949	954	926	882	872	899	922	845	897
43.0	968	1001	972	985	1003	971	954	960	944	887	898	922	925	863	907
44.0	970	999	987	999	1004	975	953	968	954	896	920	935	930	890	914
45.0	977	1005	999	1003	1013	988	959	982	954	914	929	934	938	896	929
46.0	997	1011	998	999	1027	1002	970	993	955	933	925	936	944	894	948
47.0	1012	1014	989	1001	1030	1006	975	989	961	944	918	942	945	894	957
48.0	1006	1006	985	1007	1021	1000	967	976	970	944	915	948	936	902	952
49.0	993	988	985	1008	1003	986	952	962	975	932	921	944	924	912	939
50.0	988	969	987	999	987	974	938	952	964	918	920	925	916	915	929
51.0	979	957	974	976	978	964	933	949	942	909	907	901	914	899	926
52.0	959	955	952	957	978	965	944	953	928	905	895	895	921	886	924
53.0	942	960	941	951	976	966	956	955	930	904	895	904	927	890	924



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
0.0	174	174	174	174	174	174	174	174	174	174	174	174	174	174	174
1.0	172	170	173	171	174	171	168	170	167	171	170	169	173	173	175
2.0	194	192	192	190	192	185	185	181	179	183	179	178	180	180	185
3.0	231	229	227	227	222	214	214	205	205	205	200	199	197	198	200
4.0	277	275	269	268	256	250	243	235	233	228	227	226	220	223	218
5.0	323	320	313	304	289	286	274	267	262	255	257	253	250	250	241
6.0	362	357	351	334	323	319	306	302	290	285	285	279	279	275	267
7.0	394	386	379	361	358	348	339	336	321	316	310	302	302	296	296
8.0	418	407	396	386	386	374	372	362	349	342	327	319	321	320	323
9.0	432	421	404	403	399	391	391	375	370	356	338	332	332	338	339
10.0	442	427	406	408	402	402	398	385	383	361	348	342	341	349	345
11.0	446	429	409	406	407	410	400	395	389	369	361	353	350	357	350
12.0	442	423	409	402	413	413	401	403	393	383	369	361	359	360	356
13.0	435	416	405	399	414	411	406	406	395	395	375	367	364	363	367
14.0	433	413	400	401	412	410	414	406	401	403	379	369	365	369	376
15.0	437	413	397	404	407	413	418	409	410	407	385	372	367	378	382
16.0	442	417	399	405	403	418	419	416	418	410	396	379	372	386	385
17.0	443	419	404	403	405	421	417	422	421	415	407	389	381	389	388
18.0	440	418	407	401	410	421	418	430	422	423	415	398	390	390	395
19.0	436	415	407	402	413	419	422	431	423	430	420	404	394	394	405
20.0	435	416	406	406	413	418	427	428	426	432	420	406	395	402	414
21.0	437	419	406	411	411	422	429	426	431	429	422	410	395	409	423
22.0	438	422	409	412	413	426	426	429	433	427	425	418	399	422	432
23.0	436	420	411	408	416	428	422	432	432	430	438	436	411	434	448
24.0	430	414	409	404	418	427	423	434	432	446	456	453	422	448	472
25.0	427	409	404	404	419	426	433	440	442	464	478	467	435	468	505
26.0	434	414	405	414	422	438	450	452	459	485	497	486	448	494	539
27.0	454	432	419	433	433	463	472	475	485	505	523	509	465	522	559
28.0	476	454	444	452	456	486	497	509	512	527	558	537	486	550	576
29.0	498	476	474	471	488	509	526	543	536	557	597	568	506	573	603
30.0	518	500	507	497	516	530	552	573	558	597	636	601	524	597	636
31.0	542	525	537	532	542	554	578	595	586	634	666	634	540	623	672
32.0	572	557	567	571	572	586	605	622	620	662	694	667	556	653	700
33.0	612	597	604	604	606	626	643	656	658	689	726	706	576	683	718
34.0	648	635	647	636	651	668	679	695	701	719	763	746	601	704	734
35.0	681	673	693	671	701	708	713	735	736	751	793	776	624	715	761
36.0	710	704	730	713	746	737	741	768	759	782	809	792	636	727	791
37.0	739	733	754	753	778	764	764	794	781	809	818	799	643	749	815
38.0	772	770	772	787	799	797	795	817	811	832	830	816	652	777	832
39.0	814	813	800	813	823	836	835	845	846	847	850	843	672	801	846
40.0	849	850	837	837	850	871	865	892	897	884	892	881	699	820	872
41.0	879	886	881	863	894	910	904	925	927	919	923	906	723	828	913
42.0	894	910	909	912	920	927	917	943	939	947	946	917	739	827	943
43.0	909	922	925	944	934	938	924	946	939	966	956	925	745	832	964
44.0	930	936	932	961	940	951	937	949	941	971	960	937	752	839	972
45.0	950	950	942	964	947	968	956	961	948	969	969	955	765	842	971
46.0	961	958	958	961	961	982	968	974	956	976	983	972	783	838	973
47.0	963	955	970	963	976	986	970	982	960	991	993	974	796	826	977
48.0	962	951	971	973	985	980	963	979	956	1005	987	964	799	814	980
49.0	967	948	961	978	981	971	955	968	954	1011	973	952	796	808	973
50.0	977	950	948	973	971	968	955	960	957	1000	957	945	793	802	949
51.0	979	950	940	956	960	965	952	953	953	973	942	938	786	796	926
52.0	965	949	935	942	955	954	945	949	955	964	941	931	782	789	914
53.0	954	951	943	947	964	949	940	954	956	971	953	926	784	783	915



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
0.0	174	174	174	174	174	174	174
1.0	177	173	177	181	180	181	177
2.0	184	184	190	194	195	194	193
3.0	195	200	205	209	215	211	216
4.0	211	215	219	227	234	233	242
5.0	233	229	235	248	255	260	269
6.0	258	243	254	274	278	290	296
7.0	285	260	273	300	307	320	325
8.0	308	286	295	322	332	340	344
9.0	327	315	312	338	348	347	356
10.0	341	339	331	356	357	354	365
11.0	353	355	350	372	362	363	371
12.0	360	366	362	383	369	371	372
13.0	363	374	371	391	380	376	381
14.0	365	382	374	396	390	379	383
15.0	373	392	376	400	399	384	391
16.0	383	400	378	407	402	392	403
17.0	392	404	385	417	403	404	414
18.0	398	407	392	426	406	416	423
19.0	400	411	396	431	414	424	427
20.0	406	421	400	438	433	435	434
21.0	423	440	407	453	457	452	452
22.0	449	457	422	476	481	477	476
23.0	470	474	444	506	503	505	504
24.0	498	501	474	536	525	535	529
25.0	523	525	511	563	554	565	549
26.0	549	554	548	580	586	588	565
27.0	578	589	582	604	623	612	590
28.0	612	621	620	636	654	639	619
29.0	646	648	657	672	681	673	653
30.0	674	675	693	702	711	708	684
31.0	702	711	720	726	744	736	709
32.0	733	748	734	740	774	750	730
33.0	765	775	743	756	793	766	757
34.0	791	792	762	782	805	790	787
35.0	806	803	786	809	816	820	812
36.0	817	812	807	824	832	845	830
37.0	837	827	824	834	852	857	839
38.0	861	847	837	847	894	891	852
39.0	909	878	857	879	921	919	891
40.0	942	903	910	919	941	954	925
41.0	963	917	940	938	949	985	949
42.0	974	932	957	944	966	998	962
43.0	984	954	964	948	987	998	968
44.0	999	977	965	955	1001	996	978
45.0	1012	989	972	971	1001	1001	993
46.0	1017	990	983	991	994	1012	1009
47.0	1012	987	992	997	990	1016	1015
48.0	1003	985	991	989	997	1012	1008
49.0	998	987	978	974	1000	998	992
50.0	996	983	962	962	989	980	978
51.0	991	966	943	951	965	968	968
52.0	980	942	935	942	944	967	962
53.0	968	929	937	937	939	974	962



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
54.0	944	960	946	960	969	959	959	950	945	903	904	915	925	904	919
55.0	959	957	957	971	964	951	959	946	959	901	911	922	923	916	916
56.0	972	951	966	974	966	949	960	946	959	902	916	918	926	920	922
57.0	965	952	961	966	969	951	963	950	945	912	912	907	933	912	931
58.0	955	955	947	950	967	954	962	950	932	920	900	901	934	901	930
59.0	955	952	935	941	953	945	952	939	930	918	892	903	926	896	918
60.0	937	926	920	928	926	922	933	920	934	903	891	903	909	898	904
61.0	872	855	877	885	874	857	884	884	916	876	887	894	892	899	896
62.0	800	805	826	832	821	811	827	831	859	831	847	847	856	861	889
63.0	740	754	761	764	767	757	775	782	804	786	790	794	821	821	846
64.0	686	702	691	696	708	701	714	728	739	734	730	736	771	761	794
65.0	619	642	626	631	639	639	645	665	677	675	675	685	708	706	731
66.0	544	576	564	569	566	569	579	591	612	604	620	632	642	655	669
67.0	470	504	500	508	494	498	515	521	547	533	562	567	576	593	608
68.0	397	430	432	438	426	429	447	454	471	467	496	495	506	524	544
69.0	322	361	361	363	357	363	376	382	396	399	420	421	437	446	473
70.0	248	293	289	292	286	296	306	311	323	331	347	350	364	370	394
71.0	202	228	226	227	221	229	234	241	256	263	278	283	290	298	315
72.0	177	191	193	192	184	189	187	189	202	207	215	222	224	233	244
73.0	157	164	169	167	160	164	160	161	174	175	181	185	185	191	196
74.0	135	143	147	143	141	143	139	140	149	151	154	156	158	162	166
75.0	114	124	123	119	122	123	119	121	125	128	129	131	136	136	140
76.0	95	105	101	98	102	103	100	102	103	106	106	109	115	114	115
77.0	79	86	83	81	84	84	83	85	85	85	89	92	96	95	93
78.0	68	75	71	71	72	70	73	73	73	74	77	79	80	82	79
79.0	58	64	62	62	62	60	64	63	62	64	68	70	70	71	70
80.0	51	56	54	55	53	53	56	55	54	57	60	61	60	62	62
81.0	46	48	48	49	46	47	50	48	48	52	53	53	53	53	56
82.0	43	42	43	43	41	42	44	42	43	47	46	47	46	46	49
83.0	39	37	39	39	36	38	37	36	39	41	41	41	39	39	42
84.0	33	31	34	33	32	34	32	31	35	36	35	35	34	34	36
85.0	29	27	30	29	29	30	27	28	31	31	30	30	30	29	31
86.0	25	25	26	25	26	28	24	26	28	28	26	26	27	26	26
87.0	21	24	23	22	25	25	23	25	25	24	23	24	26	24	23
88.0	19	23	20	20	23	22	22	24	23	22	21	23	24	23	21
89.0	19	22	19	19	22	20	22	23	21	20	21	22	24	23	20
90.0	20	21	18	19	21	19	22	22	20	19	21	22	22	22	20
91.0	20	19	17	18	19	17	21	20	18	18	21	21	21	21	20
92.0	19	17	17	18	17	17	20	18	17	18	20	20	19	19	19
93.0	18	15	16	18	16	16	18	16	17	18	19	19	17	17	18
94.0	16	13	16	17	14	15	16	14	16	18	18	17	15	15	17
95.0	13	12	15	15	13	15	14	13	16	17	16	15	13	13	15
96.0	11	11	15	14	12	14	12	12	15	16	14	13	12	12	13
97.0	10	11	13	11	12	14	10	12	14	14	13	11	11	10	11
98.0	10	11	11	10	12	12	9	12	13	12	11	10	11	10	9
99.0	10	11	9	8	12	11	9	12	11	10	9	9	11	9	8
100.0	10	11	8	7	11	9	9	11	10	9	9	9	10	9	7
101.0	10	10	7	7	10	7	9	11	8	8	9	10	10	9	7
102.0	9	9	6	8	8	6	9	9	7	7	9	10	9	9	8
103.0	8	8	6	8	7	6	9	8	6	7	9	9	8	8	8
104.0	6	6	6	8	6	6	8	7	6	8	9	9	7	7	8
105.0	5	5	7	8	5	6	7	6	7	8	9	8	6	6	7
106.0	5	4	7	8	5	7	6	5	7	9	9	6	5	4	6
107.0	5	4	8	7	5	7	5	5	8	8	8	5	4	4	5



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
54.0	952	951	950	960	975	945	938	951	952	974	957	921	787	778	923
55.0	960	951	951	968	978	946	942	945	948	970	959	921	786	781	925
56.0	971	959	950	972	975	956	955	942	952	960	969	929	788	789	920
57.0	973	963	957	963	977	965	962	948	959	952	984	938	797	786	911
58.0	963	962	966	958	984	970	959	954	961	954	997	936	802	771	907
59.0	947	951	968	959	989	970	944	948	953	961	1001	920	797	753	905
60.0	936	936	956	958	983	960	929	936	938	960	988	901	782	737	895
61.0	933	921	935	946	966	952	920	927	928	947	969	884	757	724	855
62.0	928	910	919	926	946	941	910	909	903	898	923	841	718	712	824
63.0	886	873	875	868	905	904	868	863	849	831	863	799	674	683	772
64.0	821	820	829	816	846	845	812	815	798	776	807	740	630	639	718
65.0	754	755	777	762	794	781	744	754	731	719	739	673	583	591	663
66.0	687	688	713	709	725	709	682	683	663	660	667	611	529	548	602
67.0	622	624	641	648	651	637	621	611	595	592	591	553	473	503	534
68.0	555	561	569	573	576	568	559	540	525	513	518	491	420	450	462
69.0	479	491	498	493	502	497	486	467	453	436	443	422	363	390	392
70.0	399	413	425	416	427	420	407	390	378	365	367	350	308	324	326
71.0	323	336	350	344	350	341	327	315	302	297	291	278	254	260	259
72.0	251	265	274	273	275	266	258	246	235	234	225	216	208	209	206
73.0	199	205	209	214	212	209	205	199	194	194	187	183	178	180	175
74.0	171	173	174	178	176	178	177	173	170	167	161	159	154	156	149
75.0	146	148	149	150	150	154	152	150	147	143	140	136	133	132	127
76.0	121	124	126	125	126	130	127	126	124	121	119	113	114	110	108
77.0	98	102	104	105	103	105	104	103	102	100	98	94	94	91	91
78.0	81	83	86	88	85	86	87	85	83	82	81	80	79	78	78
79.0	70	75	76	78	75	73	75	72	72	70	70	70	68	69	67
80.0	61	67	67	68	66	64	65	62	62	60	60	61	59	60	58
81.0	53	59	59	59	59	56	56	54	54	52	52	53	51	53	51
82.0	46	51	51	51	52	49	48	47	47	46	45	46	44	46	45
83.0	41	44	44	45	46	43	41	41	40	41	39	39	38	40	39
84.0	37	37	38	39	40	39	36	36	35	36	33	33	32	34	33
85.0	33	32	32	33	34	35	32	32	31	32	29	29	28	29	28
86.0	29	28	28	29	29	32	29	30	28	29	26	25	25	25	24
87.0	27	25	26	26	26	29	27	28	27	26	25	23	24	22	22
88.0	24	23	24	25	23	26	25	25	25	24	23	21	22	20	20
89.0	22	23	24	24	22	23	24	23	23	22	22	21	22	20	20
90.0	20	22	23	24	22	21	23	21	22	20	22	21	21	20	20
91.0	18	22	23	23	22	20	21	19	20	18	20	21	20	20	20
92.0	17	21	21	22	21	19	19	18	18	17	18	20	18	19	19
93.0	15	20	20	20	21	18	17	16	16	16	17	18	17	18	18
94.0	14	18	18	18	20	17	16	15	15	15	15	16	15	16	16
95.0	14	15	16	16	18	17	14	15	14	15	13	14	13	14	14
96.0	13	13	13	14	16	16	14	14	13	14	12	12	11	12	12
97.0	13	11	12	12	14	16	13	14	12	14	11	11	11	10	10
98.0	12	10	10	11	12	14	13	14	12	13	11	10	10	9	9
99.0	11	9	10	10	10	13	13	13	12	12	11	9	10	9	8
100.0	10	9	10	10	9	11	12	12	11	10	11	10	11	8	8
101.0	9	9	10	10	9	9	11	10	10	9	11	10	10	8	8
102.0	7	9	10	10	8	8	10	9	9	7	10	10	10	9	8
103.0	6	9	10	10	9	7	9	7	8	6	9	9	9	9	8
104.0	5	9	9	9	9	6	7	6	7	5	8	8	7	8	8
105.0	4	8	8	8	9	6	6	6	5	5	6	7	6	7	8
106.0	5	7	7	7	9	7	5	5	5	5	5	6	5	6	7
107.0	5	6	5	6	9	7	5	6	5	6	4	5	4	5	6



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
54.0	964	930	939	929	948	974	957
55.0	965	936	934	924	959	969	954
56.0	972	943	928	924	962	968	961
57.0	977	937	927	929	954	971	971
58.0	970	922	931	933	939	977	973
59.0	954	911	934	928	931	973	969
60.0	932	904	925	903	919	949	943
61.0	899	874	878	846	877	889	884
62.0	849	829	820	802	821	825	824
63.0	800	768	764	751	755	770	771
64.0	731	701	712	694	687	715	715
65.0	663	640	653	627	623	638	652
66.0	600	581	584	557	563	578	581
67.0	536	519	509	491	499	516	508
68.0	468	450	434	426	430	444	434
69.0	392	375	363	361	356	367	363
70.0	318	302	297	296	286	295	291
71.0	248	236	233	232	226	231	227
72.0	197	194	193	192	192	196	191
73.0	171	170	167	167	167	171	164
74.0	149	148	144	145	143	146	142
75.0	128	126	124	123	120	122	122
76.0	108	106	104	102	99	100	103
77.0	90	89	85	83	82	82	85
78.0	77	76	72	70	71	72	73
79.0	67	65	60	60	62	63	64
80.0	58	56	52	53	55	56	56
81.0	50	48	46	48	48	49	49
82.0	43	41	41	43	43	44	43
83.0	37	36	37	39	39	39	37
84.0	31	32	33	34	34	33	31
85.0	27	28	29	29	29	28	26
86.0	25	26	26	25	24	24	24
87.0	23	24	23	22	21	21	22
88.0	22	22	21	20	19	19	21
89.0	21	21	19	18	18	19	21
90.0	21	20	17	17	18	19	21
91.0	20	18	16	16	18	19	20
92.0	18	16	15	16	18	19	18
93.0	16	14	15	16	17	18	17
94.0	14	13	14	16	16	16	14
95.0	12	12	14	15	15	15	12
96.0	11	12	13	14	13	13	11
97.0	10	11	13	12	12	11	10
98.0	10	11	12	11	10	9	10
99.0	10	11	10	9	8	8	10
100.0	10	10	9	8	7	8	10
101.0	10	9	7	7	7	8	10
102.0	9	8	6	6	7	8	9
103.0	8	7	6	6	7	9	9
104.0	6	5	5	6	8	8	8
105.0	5	4	4	6	8	8	6
106.0	4	4	4	7	8	7	5
107.0	4	4	5	7	7	6	4



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
108.0	6	5	7	6	5	7	4	5	8	8	6	4	4	3	4
109.0	7	5	7	5	6	7	4	6	8	7	5	4	4	3	3
110.0	7	6	6	4	6	6	4	7	7	6	4	4	4	3	3
111.0	6	7	5	3	7	5	5	7	6	5	4	4	5	4	3
112.0	4	7	4	3	7	4	5	7	5	4	4	5	6	5	3
113.0	3	6	3	4	6	3	6	6	4	4	5	6	6	5	4
114.0	3	5	3	5	5	3	6	5	4	4	6	6	5	5	5
115.0	3	4	3	5	4	3	6	4	3	5	6	6	5	5	5
116.0	4	3	4	6	3	3	5	3	3	6	6	5	4	4	5
117.0	5	2	5	6	2	4	4	3	4	6	6	4	3	3	4
118.0	5	2	5	5	2	5	3	3	5	6	5	3	2	2	4
119.0	5	2	5	4	3	5	2	3	5	6	4	2	1	1	3
120.0	4	3	5	4	3	5	2	4	5	6	3	2	1	1	2
121.0	2	4	4	3	4	5	2	4	5	5	2	2	1	1	1
122.0	1	5	3	2	5	4	2	5	4	4	2	2	2	2	1
123.0	1	5	2	1	5	3	3	5	3	3	2	2	3	2	1
124.0	2	4	1	2	5	2	3	5	2	2	2	3	3	3	2
125.0	3	4	1	2	4	1	4	4	1	2	3	4	4	3	3
126.0	4	3	1	3	3	1	4	3	1	2	3	4	3	3	3
127.0	4	2	2	4	2	1	4	2	1	2	4	4	3	3	4
128.0	3	1	3	4	1	2	4	1	2	3	4	4	2	2	3
129.0	3	1	3	4	1	2	3	1	2	4	4	3	1	1	3
130.0	1	1	4	3	1	3	2	2	3	4	3	2	1	0	2
131.0	0	1	4	3	1	4	1	2	3	4	2	1	2	2	1
132.0	2	2	3	1	2	4	1	3	3	3	1	0	3	3	1
133.0	3	3	2	1	3	3	1	4	3	2	0	2	3	3	2
134.0	2	3	1	2	3	2	1	4	2	1	2	3	2	2	3
135.0	1	3	0	3	3	1	2	4	1	0	3	3	1	1	2
136.0	1	3	2	3	3	1	3	3	0	2	3	2	0	0	2
137.0	2	2	3	2	2	1	3	2	1	3	2	1	1	1	1
138.0	3	1	3	2	1	3	3	1	3	3	1	0	2	1	0
139.0	2	1	3	1	1	3	3	1	3	2	0	1	3	0	1
140.0	1	2	3	1	2	3	2	2	2	1	1	0	2	1	0
141.0	0	2	3	2	3	2	1	3	2	0	2	1	1	2	0
142.0	1	3	3	3	3	1	0	2	1	1	2	2	0	2	2
143.0	0	2	2	2	2	0	1	2	0	2	2	2	0	2	2
144.0	0	2	2	2	1	2	3	1	1	2	1	2	1	1	2
145.0	1	1	1	1	0	3	3	0	0	2	0	1	0	0	1
146.0	0	0	0	0	0	2	2	1	0	1	0	0	0	1	0
147.0	1	1	0	1	1	1	1	1	0	0	0	0	0	0	0
148.0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0
149.0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0
150.0	0	1	0	0	0	1	1	0	0	0	0	0	2	0	0
151.0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
152.0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0
153.0	0	0	0	1	2	1	0	0	1	0	0	0	0	0	0
154.0	0	0	0	1	1	0	0	1	1	0	0	0	1	1	0
155.0	0	0	0	1	0	0	0	1	0	0	1	0	0	2	0
156.0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0
157.0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0
158.0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	1
159.0	1	1	0	0	0	0	1	0	0	1	0	0	0	0	2
160.0	1	0	0	0	0	0	1	0	0	1	0	1	0	0	1
161.0	1	0	1	0	0	1	0	0	0	1	0	0	0	0	1



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
108.0	6	4	4	5	8	8	5	6	5	6	4	4	4	4	5
109.0	6	4	4	4	6	8	6	7	5	7	4	4	4	4	4
110.0	6	3	4	4	5	8	7	7	6	7	5	4	5	3	3
111.0	6	3	5	5	5	7	7	7	6	7	6	4	5	3	3
112.0	5	4	5	6	4	6	7	6	7	6	6	5	6	4	3
113.0	4	5	6	6	4	5	7	5	6	5	6	6	6	5	4
114.0	3	5	6	7	5	4	6	4	6	4	6	6	6	5	4
115.0	2	6	6	6	6	3	5	3	5	3	5	6	5	6	5
116.0	2	5	5	5	6	3	4	3	4	2	4	5	5	5	5
117.0	2	5	4	4	6	4	3	3	3	2	3	4	4	5	5
118.0	2	4	3	3	6	4	3	4	2	3	2	3	3	4	4
119.0	3	3	2	2	5	5	3	4	2	3	2	2	2	3	3
120.0	4	2	2	2	4	6	3	5	3	4	2	2	2	2	2
121.0	4	1	2	2	3	6	4	6	4	5	3	2	2	1	2
122.0	4	1	2	2	2	6	5	6	4	5	4	2	3	2	1
123.0	4	1	3	3	2	5	5	5	5	4	4	3	4	2	1
124.0	3	2	3	4	2	4	5	4	5	4	5	4	4	3	2
125.0	2	3	4	4	2	3	5	3	4	3	5	4	4	4	3
126.0	1	3	4	5	3	2	4	2	4	2	4	4	4	4	4
127.0	0	4	4	4	3	2	3	2	2	1	3	4	4	4	4
128.0	2	4	3	3	4	1	2	1	1	1	2	3	3	4	4
129.0	3	3	2	2	4	2	2	1	1	1	1	2	2	3	3
130.0	3	2	1	1	4	2	1	2	1	1	1	1	1	2	3
131.0	2	1	0	0	3	3	1	3	1	2	1	1	0	1	2
132.0	1	0	2	2	2	4	2	4	2	3	1	0	3	0	1
133.0	0	2	3	3	1	4	3	4	2	3	1	0	3	2	0
134.0	2	3	3	3	1	3	3	4	3	4	2	1	3	3	2
135.0	3	3	2	2	2	3	4	3	3	3	3	2	2	3	3
136.0	3	2	1	1	3	2	4	2	3	3	3	2	1	2	3
137.0	2	1	0	0	3	1	3	1	3	2	3	3	1	1	2
138.0	1	0	1	1	2	1	3	1	2	1	3	3	2	0	1
139.0	0	1	2	2	1	3	1	2	1	0	2	3	3	1	0
140.0	0	1	2	2	0	3	0	3	1	2	1	2	3	3	1
141.0	1	0	2	2	1	2	1	3	2	3	0	1	2	3	2
142.0	0	0	1	1	2	1	3	3	3	3	2	0	2	2	2
143.0	0	0	0	0	2	0	3	2	3	2	3	1	1	2	2
144.0	0	0	0	0	2	0	2	1	2	1	3	3	0	1	2
145.0	0	1	1	0	1	1	1	1	1	0	2	3	2	0	2
146.0	1	2	0	0	0	0	0	2	0	2	1	2	2	1	1
147.0	2	1	0	0	0	0	0	3	1	3	0	1	2	0	0
148.0	1	0	0	0	1	0	1	2	3	3	1	0	2	0	1
149.0	0	0	0	0	0	0	0	2	3	2	1	1	1	0	0
150.0	0	1	0	0	0	0	0	1	2	2	0	1	0	0	0
151.0	0	0	0	0	0	0	0	0	2	1	1	0	1	0	0
152.0	0	0	0	0	0	0	0	1	1	0	2	0	1	1	0
153.0	0	0	1	1	0	0	0	0	0	1	2	1	0	2	0
154.0	0	0	1	1	0	0	0	0	1	0	2	0	0	1	1
155.0	0	0	1	0	0	0	0	0	0	0	1	1	0	0	2
156.0	0	0	0	0	1	1	1	0	0	1	0	2	0	0	1
157.0	0	0	1	1	1	2	1	0	0	0	1	2	1	1	0
158.0	0	0	0	0	1	1	0	0	0	0	0	1	2	0	0
159.0	0	0	0	0	0	1	0	0	0	2	0	0	2	0	1
160.0	0	1	0	0	0	0	1	1	0	2	1	0	1	0	0
161.0	1	1	0	0	0	1	0	2	0	1	0	0	0	0	0



Test Report Number: 100211186-4
 Test Item Number: 014016

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
108.0	4	4	6	7	6	5	4
109.0	4	5	6	6	5	4	4
110.0	5	5	6	5	4	3	5
111.0	5	6	6	4	3	3	5
112.0	6	6	5	3	3	4	6
113.0	6	5	4	3	3	4	6
114.0	5	5	3	2	4	5	6
115.0	4	3	2	3	4	6	5
116.0	3	3	2	3	5	6	4
117.0	2	2	2	4	5	5	3
118.0	1	1	3	4	5	4	2
119.0	1	1	3	5	5	3	2
120.0	1	2	4	5	4	2	2
121.0	2	3	4	4	2	2	2
122.0	3	3	4	3	2	1	3
123.0	3	4	4	2	1	2	4
124.0	4	4	3	1	1	3	4
125.0	4	3	2	1	2	3	4
126.0	3	3	1	1	3	4	4
127.0	2	2	0	2	3	4	3
128.0	1	1	2	2	4	4	2
129.0	0	1	3	3	4	3	1
130.0	2	3	3	3	3	2	1
131.0	3	3	2	3	2	1	0
132.0	3	3	1	3	1	0	1
133.0	2	2	0	2	0	2	1
134.0	2	1	2	1	2	3	1
135.0	1	0	3	0	3	3	2
136.0	1	2	3	2	3	2	2
137.0	3	3	2	3	2	1	3
138.0	3	3	1	3	1	0	3
139.0	2	2	0	2	0	1	2
140.0	2	1	1	1	1	2	2
141.0	1	0	1	0	2	3	1
142.0	0	1	0	0	2	2	0
143.0	1	1	1	1	2	1	1
144.0	0	0	2	0	2	1	0
145.0	0	0	2	0	1	0	0
146.0	1	0	2	1	0	1	1
147.0	0	0	1	0	0	0	0
148.0	1	1	0	1	1	0	1
149.0	2	2	1	2	0	1	2
150.0	1	1	0	2	0	0	2
151.0	1	0	0	1	0	1	1
152.0	0	0	0	0	0	2	0
153.0	1	1	0	0	0	2	1
154.0	0	0	0	0	0	1	0
155.0	0	0	0	0	0	0	0
156.0	1	0	0	0	1	0	0
157.0	0	0	0	0	1	0	0
158.0	0	0	0	0	1	0	0
159.0	0	0	0	0	1	0	0
160.0	0	0	1	0	0	0	0
161.0	1	1	1	1	1	0	0



Test Report Number: 100211186-4
Test Item Number: 014016

Candela Table (cd)

	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	100.0	110.0	120.0	130.0	140.0
162.0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0
163.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
164.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
165.0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0
166.0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
167.0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
168.0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
169.0	0	0	0	1	0	0	0	1	0	0	1	0	0	1	1
170.0	0	0	0	0	0	0	0	1	1	0	1	1	0	1	0
171.0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0
172.0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
173.0	0	1	0	0	0	0	1	1	0	0	1	0	0	0	0
174.0	1	0	0	0	0	0	1	0	0	1	0	1	0	0	0
175.0	1	0	0	0	0	1	0	0	0	1	0	0	0	0	1
176.0	0	0	1	0	0	1	0	0	0	0	1	0	0	0	0
177.0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
178.0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
179.0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Test Report Number: 100211186-4
Test Item Number: 014016

Candela Table (cd)

	150.0	160.0	170.0	180.0	190.0	200.0	210.0	220.0	230.0	240.0	250.0	260.0	270.0	280.0	290.0
162.0	1	1	0	0	0	0	0	1	1	0	0	0	0	0	1
163.0	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0
164.0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
165.0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
166.0	0	0	0	0	0	0	0	0	1	0	2	0	0	1	0
167.0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
168.0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
169.0	0	0	1	1	0	0	0	0	0	0	1	1	0	1	0
170.0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
171.0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	1
172.0	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0
173.0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
174.0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
175.0	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0
176.0	1	1	0	0	0	0	0	1	0	1	0	0	0	0	0
177.0	1	1	0	0	0	0	0	1	0	0	0	0	0	0	1
178.0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
179.0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Test Report Number: 100211186-4
Test Item Number: 014016

Candela Table (cd)

	300.0	310.0	320.0	330.0	340.0	350.0	360.0
162.0	1	1	1	1	0	0	0
163.0	1	1	0	1	0	0	0
164.0	0	0	1	0	0	1	1
165.0	0	0	0	1	0	1	1
166.0	0	0	0	0	0	1	1
167.0	0	0	0	0	0	0	0
168.0	0	0	0	0	0	0	0
169.0	0	0	0	0	0	0	0
170.0	0	0	0	0	0	0	0
171.0	0	0	0	0	0	0	0
172.0	0	0	0	0	1	0	0
173.0	0	0	0	0	1	0	0
174.0	0	0	0	0	1	0	0
175.0	0	0	1	0	1	0	0
176.0	1	1	1	1	1	0	0
177.0	1	1	0	1	0	0	0
178.0	1	0	0	0	0	0	0
179.0	0	0	1	0	0	1	1
180.0	0	0	0	0	0	0	0